

# **Knock-down Worktables with Cabinet**

16000-399 16000-400 SKU: 15000-936



Increase efficiency in your commercial kitchen with Zanduco's knock-down worktables featuring flush-edge cabinets. Perfect for fast-paced food prep environments, these durable tables are constructed with 430 and 304 stainless steel. The enclosed cabinets include doors and recessed handles for convenient storage of kitchen tools and supplies.





















#### **OVER 60 YEARS IN THE COMMERCIAL FOOD INDUSTRY**




# **FEATURES:**

- · Constructed with 18-Gauge, 304 Stainless Steel
- Enclosed Cabinet with Sliding Doors and recessed handle
- Stainless steel bullet feet
- NSF approved

TECHNICAL SPECIFICATION	
SKU	15000-936
Description (D x W)	30" x 48"   762 x 1219.2 mm
Midshelf Capacity	260 lbs.   117.9 kg
Top Capacity	690 lbs.   313 kg.
Undershelf Capacity	420 lbs.   90.5 kg.
Height	34"   863.6 mm
Packaging Weight	117 lbs.   53 kg.
Packaging Dimensions	50" x 33" x 8" 1270 x 838.2 x 203.2 mm

# **TECHNICAL DRAWING**





















#### **OVER 60 YEARS IN THE COMMERCIAL FOOD INDUSTRY**




### **FEATURES:**

- · Constructed with 18-Gauge, 304 Stainless Steel
- Enclosed Cabinet with Sliding Doors and recessed handle
- Stainless steel bullet feet
- \* NSF approved
- 4" x 1" Backsplash

TECHNICAL SPECIFICATION	
SKU	16000-399
Description (D x W)	30" x 60"   762 x 1524 mm
Midshelf Capacity	270 lbs.   122.5 kg
Top Capacity	750 lbs.   340.2 kg.
Undershelf Capacity	440 lbs.   199.6 kg.
Height	34"   863.6 mm
Packaging Weight	134 lbs.   60.78 kg.
Packaging Dimensions	62" x 32" x 8" 1574.8 x 812.8 x 203.2 mm

### **TECHNICAL DRAWING**





















#### **OVER 60 YEARS IN THE COMMERCIAL FOOD INDUSTRY**



# **FEATURES:**

- · Constructed with 18-Gauge, 304 Stainless Steel
- Enclosed Cabinet with Sliding Doors and recessed handle
- · Stainless steel bullet feet
- NSF approved

TECHNICAL SPECIFICATION	
SKU	16000-400
Description (D x W)	30" x 72"   762 x 1828.8 mm
Midshelf Capacity	280 lbs.   127 kg
Top Capacity	810 lbs.   367.4 kg.
Undershelf Capacity	460 lbs.   208.7 kg.
Height	34"   863.6 mm
Packaging Weight	156 lbs.   70.76 kg.
Packaging Dimensions	74" x 32" x 8" 1879.6 x 812.8 x 203.2 mm

### **TECHNICAL DRAWING**

