

Ice Cream Dipping Cabinet/Freezer with Flat Sneeze Guard

SKU: 70000-688

70000-685

16000-004

70000-236

70000-684



Stay Cool and Showcase in Style with Zanduco Ice Cream Display Freezers.

Display your ice cream with maximum visual impact and efficiency. These sleek, glass-front display freezers keep every flavor perfectly frozen while drawing customers in with a crystal-clear view of your vibrant selection. Built for durability, energy savings, and easy maintenance; perfect for business freshness in every scoop.

FEATURES:

- Large capacity for multiple tubs
- Casters for easy movement
- Sliding doors with locks
- Sneeze guard for protection
- White powder-coated steel exterior, steel interior, and protective edge trim

1 YEAR
WARRANTY
 PARTS & LABOUR

NEMA
 5 - 15P
 125VAC / 15 AMP



Made in China



TECHNICAL SPECIFICATION			
SKU	70000-688	70000-685	16000-004
Features	26"	39"	50"
Capacity	4+2 3-Gallon Tubs	6+4 3-Gallon Tubs	8+6 3-Gallon Tubs
Temperature Range	-26°C to -14°C -15°F to 6.8°F		
Number of Doors	Double Sliding Doors		
Compressor HP	0.25 HP+	0.4 HP+	
Amps	3A		4A
Defrost	Manual		
Refrigerant	R290		
Foaming Agent	Cyclopentane		
Humidity	55%		
Electrical	110V / 60Hz / 1Ph		
Number of Casters	4 (2 with Brakes)		
Net Dimensions (WDH)	26" x 28" x 52" 665 x 715 x 1325 mm	39" x 28" x 52" 995 x 715 x 1320 mm	49.6" x 28" x 52" 1260 x 715 x 1325 mm
Net Weight	154 lb. 70 kg.	127 lb. 58 kg.	242.5 lb. 110 kg.
Cabinet Gross Dimensions (WDH)	47" x 36" x 47" 1194 x 915 x 1194 mm	47" x 36" x 45" 1194 x 915 x 1143 mm	56" x 36" x 47" 1422 x 915 x 1194 mm
Sneeze Guard Gross Dimensions (WDH)	26" x 23" x 0.5" 665 x 584 x 12.7 mm	40" x 23" x 5" 1026 x 585 x 130mm	51" x 23" x 0.5" 1295 x 584 x 12.7mm
Gross Weight	175 lb. 79.3 kg.	155 lb. 70.3 kg.	290 lb. 131.5 kg.


Made in China




TECHNICAL SPECIFICATION		
SKU	70000-236	70000-684
Features	60	71
Capacity	10+8 3-Gallon Tubs	12+10 3-Gallon Tubs
Temperature Range	-26°C to -14°C -15°F to 6.8°F	
Number of Doors	Double Sliding Doors	
Compressor HP	0.25 HP+	0.4 HP+
Amps	4A	
Defrost	Manual	
Refrigerant	R290	
Foaming Agent	Cyclopentane	
Humidity	55%	
Electrical	110V / 60Hz / 1Ph	
Number of Casters	4 (2 with Brakes)	6 (2 with Brakes)
Net Dimensions (WDH)	60" x 28" x 52" 1524 x 715 x 1325 mm	71" x 28" x 52" 1800 x 715 x 1325 mm
Net Weight	280 lb. 127 kg.	194 lb. 88 kg.
Cabinet Gross Dimensions (WDH)	67" x 36" x 47" 1702 x 915 x 1194 mm	76" x 40" x 47" 1930 x 1016 x 1194 mm
Sneeze Guard Gross Dimensions (WDH)	64.6" x 23" x 0.5" 1666 x 584 x 12.7 mm	73.4" x 37.4" x 24.6" 1865 x 950 x 625 mm
Gross Weight	300 lb. 136 kg.	315 lb. 143 kg.

Made in China


TECHNICAL DRAWING | 70000-688




TECHNICAL DRAWING | 70000-685




TECHNICAL DRAWING | 16000-004



TECHNICAL DRAWING | 70000-236



TECHNICAL DRAWING | 70000-684



BMAD System (Low maintenance high performance). Dimensions rounded up to the nearest inch or millimeter. Specifications subject to change without notice.