

CASTERS

ITEM NUMBER: 50000-149 | 50000-150 | 50000-173 | 50000-174
| 50000-175 | 50000-176 | 50000-186 | 50000-177 | 50000-178
| 50000-184 | 50000-185 | 50000-182 | 50000-183 | 47000-007

WIRE SHELF CASTER



50000-149



50000-150

HEAVY-DUTY CART CASTER



50000-173



50000-174

CHROME STOCKING CART CASTER



50000-175



50000-176



50000-186

UTILITY CART CASTER



50000-177



50000-178

PAN RACK CASTER




50000-184



50000-185



50000-182



50000-183

WORK TABLE CASTER



47000-007

TECHNICAL SPECIFICATIONS

WIRE SHELF CASTERS

ITEM	DESCRIPTION	COMPATIBLE ZANDUCO ITEMS	MAX LOADING CAPACITY	SIZE	BRAKES	ADDITIONAL INFO
50000-149	Hard rubber swivel caster	Epoxy & Chrome stock shelves	80 kg / 176 lbs	5" dia., 1" thick	✗	Not recommended for freezers
50000-150	Hard rubber swivel caster	Epoxy & Chrome stock shelves	80 kg / 176 lbs	5" dia., 1" thick	✓	Not recommended for freezers

PLATFORM CART CASTERS

ITEM	DESCRIPTION	COMPATIBLE ZANDUCO ITEMS	MAX LOADING CAPACITY	SIZE	BRAKES	ADDITIONAL INFO
50000-173	Platform/stocking cart fixed wheel, polypropylene	42000-001, 42000-019	272 kg / 600 lbs	6" dia., 2" thick	✗	Mounting plate: 4.5" x 4"
50000-174	Platform/stocking cart rotating wheel, polypropylene	42000-001, 42000-019	272 kg / 600 lbs	6" dia., 2" thick	✗	Mounting plate: 4.5" x 4"

STOCKING CART CASTERS

ITEM	DESCRIPTION	COMPATIBLE ZANDUCO ITEMS	MAX LOADING CAPACITY	SIZE	BRAKES	ADDITIONAL INFO
50000-175	Stocking cart fixed wheel	42000-006, 42000-021, 42000-028, 42000-029	113 kg / 250 lbs	5" dia., 1.25" thick	✗	Mounting plate: 4" x 3"
50000-176	Stocking cart rotating wheel	42000-006, 42000-021, 42000-028, 42000-029	113 kg / 250 lbs	5" dia., 1.25" thick	✗	Mounting plate: 4" x 3"
50000-186	Solid top stocking cart fixed wheel, Polypropylene	42000-006, 42000-021, 42000-028	110 kg / 242.5 lbs	5" dia., 1.5" thick	✗	Mounting plate: 4" x 3"



50000-149



50000-173



50000-174



50000-175



50000-176



50000-177



50000-178



50000-185



50000-184



50000-183



47000-007



50000-186

TECHNICAL SPECIFICATIONS

UTILITY CART CASTERS

ITEM	DESCRIPTION	COMPATIBLE ZANDUCO ITEMS	MAX LOADING CAPACITY	SIZE	BRAKES	ADDITIONAL INFO
50000-177	Utility cart rotating black wheel, polypropylene and polyurethane	15000-705, 15000-704	50 kg / 110 lbs	4" dia., 1.25" thick	✗	Mounting plate: 4" x 3"
50000-178	Utility cart red wheel, polypropylene and polyurethane	15000-705, 15000-704	50 kg / 110 lbs	6" dia., 2" thick	✗	-

WORK TABLE CASTER

ITEM	DESCRIPTION	COMPATIBLE ZANDUCO ITEMS	MAX LOADING CAPACITY	SIZE	BRAKES	ADDITIONAL INFO
47000-007	Work table black wheel, iron frame and bracket, polyurethane	Work tables	80 kg / 176 lbs	5" dia., 1.25" thick	✓	Also fits equipment stands

PAN RACK CASTERS

ITEM	DESCRIPTION	COMPATIBLE ZANDUCO ITEMS	MAX LOADING CAPACITY	SIZE	BRAKES	ADDITIONAL INFO
50000-185	Heavy-duty rubber wheel with brake	All aluminum pan racks	50 kg / 110 lbs	5" dia., 1.25" thick	✗	-
50000-184	Heavy-duty rubber wheel without brake	All aluminum pan racks	50 kg / 110 lbs	5" dia., 1.25" thick	✓	-
50000-183	Light-duty wheel, set of 4	15000-656, 15000-657, 16000-897, 50000-005, 50000-007, 50000-008, 50000-009, 50000-013, 50000-014, 50000-015, 50000-121	-	4.75" dia., 1" thick	✓ 2 w/ brakes ✗ 2 w/o brakes	-
50000-182	Medium-duty wheel, set of 4	All stainless steel pan racks	120 kg / 265 lbs (each), 480 kg / 1056 lbs (set)	5" dia., 1.25" thick	✓ 2 w/ brakes ✗ 2 w/o brakes	-

180 DAYS
LIMITED WARRANTY