

Glass Door Merchandiser Refrigerators – White

SKU: 12000-163

18000-488

12000-164

15000-607

12000-167

12000-183



Shocase your products attractively and drive impulse purchases with the Zanduco glass door refrigerator.

Designed to enhance product visibility, it offers generous, flexible storage with adjustable shelving; making it ideal for supermarkets, cafes, and delis. The eco-friendly R290 refrigeration system, paired with a bottom-mounted compressor, delivers efficient cooling while allowing easier access to lower shelves. A digital LCD temperature controller provides accurate monitoring, and automatic defrost helps prevent ice buildup, delivering a perfect balance of style, performance, and everyday convenience for any commercial setting.

FEATURES:

- Adjustable shelves
- Powerful, environmentally safe refrigeration system
- Bottom mounted compressor for energy efficiency
- Digital Temperature Control & LCD display
- Autodefrost System

Made in China






2 YEARS
WARRANTY
 PARTS & LABOUR
5 YEARS ONLY
ON COMPRESSOR


TECHNICAL SPECIFICATION			
SKU	12000-164	12000-163	18000-488
Features	22" Wide	53" Wide	53" Wide
Capacity	9.1 cu.ft. 257L	45 cu.ft. 1274L	
Number of Doors	1 Swing Glass Door	2 Sliding Glass Doors	2 Swing Glass Doors
Self-Closing Door	YES		
Exterior Material	Painted Steel		
Number of Shelves	4	8	
Shelf Capacity	55.1 lb. 25 kg.	90 lb. 41 kg.	
Shelf Material	Plastic Coated		
Number of Casters	N/A		4
Power	1/5 HP	1/4 HP	
Current	2.9A	4.3A	
Electrical	110-120V / 60Hz / 1Ph		
Temperature Controller	Digital		
Temperature Range	0.5°C - 5°C 33°F - 41°F		
Refrigerant	R290		
Insulation Material	Cyclopentane		
Cooling System	Ventilated		
Defrosting	Automatic		
Interior Dimensions (WDH)	18.9" x 18.3" x 46" 480 x 465 x 1168 mm	50" x 28.3" x 62" 1351 x 807 x 2133 mm	
Net Dimensions (WDH)	21.7" x 21.7" x 63" 551 x 551 x 1600 mm	53.2" x 31.8" x 84" 1351 x 807 x 2133 mm	
Net Weight	161 lb. 73 kg.	441 lb. 200 kg.	
Gross Dimensions (WDH)	24" x 25" x 69" 599 x 630 x 1755 mm	56" x 34" x 85" 1422 x 850 x 2148 mm	
Gross Weight	225 lb. 102 kg.	481 lb. 218 kg.	
Plug Type	NEMA 5-15P		

*This equipment is intended for indoor environment using where ambient temperature do not exceed 26°C (80°F) & 55% relative humidity

TECHNICAL SPECIFICATION			
SKU	15000-607	12000-167	12000-183
Features	26" Wide	28" Wide	78" Wide
Capacity	14 cu.ft. 396L	23 cu.ft. 651L	53 cu.ft. 1500L
Number of Doors	1 Swing Glass Door	1 Swing Glass Door	3 Swing Glass Doors
Self-Closing Door	YES		
Exterior Material	Stainless Steel with Aluminum Back		
Interior Material	Powder Coated Steel		
Number of Shelves	4		12
Shelf Capacity	77 lb. 35 kg.	90 lb. 41 kg.	
Shelf Material	Plastic Coated		
Number of Casters	N/A	YES	
Power	1/5 HP		3/4 HP
Current	2.88A	3A	10.7A
Electrical	110-120V / 60Hz / 1Ph		
Temperature Controller	Digital		
Temperature Range	0.5°C - 5°C 33°F - 41°F		
Refrigerant	R290		
Insulation Material	Cyclopentane		
Cooling System	Ventilated		
Defrosting	Automatic		
Interior Dimensions (WDH)	22.8" x 19.8" x 55" 579 x 503 x 1397 mm	25.2" x 28.3" x 62.3" 640 x 719 x 1582 mm	73.7" x 25.6" x 55.7" 1872 x 650 x 1415 mm
Net Dimensions (WDH)	25.6" x 22.8" x 79.4" 650 x 579 x 2017 mm	28.3" x 31.9" x 83.6" 719 x 810 x 2123 mm	78.3" x 29.9" x 84.6" 1988 x 759 x 2150 mm
Net Weight	220 lb. 99.8 kg.	320 lb. 145.2 kg.	615 lb. 279 kg.
Gross Dimensions (WDH)	48" x 40" x 90" 1219 x 1016 x 2286 mm		84" x 36" x 86" 2133 x 914 x 2184 mm
Gross Weight	270 lb. 122 kg.	355 lb. 161 kg.	720 lb. 326 kg.
Plug Type	NEMA 5-15P		NEMA 5-20P

*This equipment is intended for indoor environment using where ambient temperature do not exceed 26°C (80°F) & 55% relative humidity

TECHNICAL DRAWING: 12000-164**TECHNICAL DRAWING: 15000-607****TECHNICAL DRAWING: 12000-167**

TECHNICAL DRAWING: 12000-163 | 18000-488

TECHNICAL DRAWING: 12000-183
